

ď




FIG. 3





FIG. 4



; t

FIG. 5




FIG. 6





FIG. 7 **START** SA2 RECOGNIZE REQUEST OF **ESTABLISHMENT OF** COMMUNICATION PATH SA3 TRANSMIT RESPONSE COMMAND 'INTERIM' REFER TO COMMUNICATION SA4 PATH MANAGEMENT TABLES SA5 YES **SPECIFIED SA39** TABLE FOUND SA6 **₹** NO INCREMENT CREATE NEW TABLE CONNECTION COUNTER SA7 SECURE BANDWIDTH, CHANNEL SA9 ∠SA8 TRANSMIT RESPONSE NO. SECUREMENT SUCCEED COMMAND 'REJECTED' **SA10** YES SA11 YES DISCARD SCR NUMBER INCLUDED SA50 COMMUNICATION **PATH** NO SCR SETTING **SA12** MANAGEMENT **TABLE SA**51 NO BUS ID MATCH **SA13** SETTING **YES END** SUCCEED ? YES TRANSMIT RESPONSE COMMAND 'ACCEPTED' NO **END**







FIG. 10








FIG. 12








FIG. 15A




FIG. 16




FIG. 17





FIG. 18






FIG. 20 **START** RECEIVE REQUEST COMMAND SD10 T11 RECOGNIZE REQUEST OF TRANSMISSION OF REQUEST COMMAND √SD11 FOR EXAMINATION OF PATH INFORMATION TO ADJACENT PORTAL TRANSMIT RESPONSE √SD12 COMMAND 'INTERIM' TRANSMIT REQUEST COMMAND REQUESTING EXAMINATION _SD14 ON PATH INFORMATION RECEIVE RESPONSE SD15 COMMAND 'INTERIM' WAIT ✓ SD16 RECEIVE RESPONSE COMMAND √SD17 **SD18** NO ACCEPTED **SD20** SD19 YES TRANSMIT RESPONSE COMMAND ' REJECTED' TRANSMIT RESPONSE COMMAND 'ACCEPTED' **END**

FE8 SCR NUMBER (SETTING IMCOMPLETE) SCR NUMBER (SETTING IMCOMPLETE) SCR NUMBER (SETTING I MCOMPLETE) FE7 NODE ID OF PORTAL 7b NODE ID OF PORTAL 7a FE2 OPCR NUMBER (CONNECTION COUNTER) (CONNECTION COUNTER) (CONNECTION COUNTER) FE6 FIG. 21 FE5 (SECURED CHANNEL (SECURED CHANNEL NUMBER) (SECURED CHANNEL NUMBER) **NUMBER**) FE4 OF IEEE 1394 DEVICE 3b PHYSICAL ID OF PORTAL 9a PHYSICAL ID OF PORTAL 7a PHYSICAL ID OF PORTAL 7b EUI-64 INFORMATION 田、 (BUS 1D 0F BUS 1b) (BUS 1D 0F BUS 1a) (BUS ID OF BUS 1d) FE3

8

R2

 R_3

FIG. 22




FIG. 23

F110		HEADER CRC	DATA	DATA CRC
	DATA LENGTH			

FIG. 24




FIG. 25A




FIG. 25B




FIG. 26




FIG. 27




FIG. 28





FIG. 29






FIG. 31

